

# MATERIAL SAFETY DATA SHEET

No. J-2800E-13

Identity (As Used on Label and List)

- **Date Prepared:** July 31, 2002
- **Date Revised:** September 11, 2009

---

## LUMIFLON FE4300

---

### 1. PRODUCT AND COMPANY INFORMATION

---

**Product Name:** LUMIFLON FE4300

**Synonym:** Fluoropolymer emulsion

**General Use:** Paints

**MSDS Number:** J-2800E

**Manufacturer**

**Company Name:** ASAHI GLASS CO., LTD. Chemicals Company Fluorochemicals Division

**Address:** 1-12-1, Yurakucho, Chiyoda-ku, Tokyo, 100-8405, Japan

**Telephone No.:** +81-3-3218-5574

**Facsimile No.:** +81-3-3218-7843

**Supplier**

**Company Name:** AGC Chemicals Americas, Inc.

**Address:** 55 East Uwchlan Ave. Suite 201, Exton, PA 19341, USA

**24 Hour Medical Emergency Telephone #:** (800)420-8479

**24 Hour Transportation Emergency # (CHEMTREC):** (800) 424-9300

**Customer Service Number:** (800) 424-7833

---

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

---

Components	CAS No.	%
Fluoropolymer	Trade Secret	48.5
Emulsifier	Trade Secret	2.5
Water		49

**OSHA Hazardous Components (29 CFR 1910.1200)**

None

---

### 3. HAZARDS IDENTIFICATION

---

This product is not hazardous in OSHA.

**Emergency overview**

No toxic effect is known to be associated with inhalation of vapors from this material.

---

#### 4. FIRST AID MEASURES

---

- **Inhalation:** If exposed to fumes from overheating or combustion, move to fresh air. Consult a physician if symptoms persist.
- **Skin contact:** Wash well contact area with plenty of soap and water. Remove contaminated clothing and shoes.  
Get medical attention if irritation persists. Use the contaminated clothing after washing it well.
- **Eye contact:** Flush eyes including eyelids, with plenty of water for at least 15 minutes. Get medical attention.
- **Ingestion:** Get medical help.

---

#### 5. FIRE-FIGHTING MEASURES

---

- **Suitable extinguishing media:** Use dry chemical, alcohol-resistant foam, water spray or carbon dioxide for surrounding fire.
- **Unsuitable extinguish media/methods:** none
- **Hazardous combustion product or gases:** This product is non-flammable. However, if involved in a fire or if overheated (>200deg.C(>392deg.F), there is a risk of generation of toxic degradation products such as hydrogen chloride, hydrogen fluoride, carbon monoxide and carbon dioxide.
- **Special protective equipment for fire fighters:** Wear self-contained breathing apparatus in confined areas or when exposed to combustion products.
- **Additional information:** Move container from fire areas if it can be done without risk. Cool containers with water spray. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

---

#### 6. ACCIDENTAL RELEASE MEASURES

---

**Personal precautions:**

Use personal protective clothing

**Environmental precautions:**

Collect contaminated water/firefighting water separately.

Do not wash away into shower or waterway.

**Methods for cleaning up/taking up:**

Take up with absorbent material (e.g. sand, general-purpose binder)

**Additional information:**

Information for safe handling looks up chapter 7.

Information for disposal looks up chapter 13.

---

#### 7. HANDLING AND STORAGE

---

**Handling**

Wear appropriate mask, goggles, and gloves to avoid contact with eyes and skins. Hands should be washed thoroughly after handling. Suitable ventilation should be used during application.

**Storage**

Floor surface of storage place should be made of non-permeable materials to the ground such as concrete. Store in a cool, dry, well-ventilated location.

Storage Condition (-5 - 40 deg C (23 - 104 deg F) Do not freeze.)

---

## 8. EXPOSURE CONTROL / PERSONAL PROTECTION

---

### Ingredients with occupational exposure limits to be monitored

N/A

### Exposure controls

#### Occupational exposure controls

#### Engineering Controls:

Use with appropriate local exhaust ventilation.

#### Personal protection:

- **Respiratory protection:** Ventilation, local exhaust
- **Hand protection:** Impermeable gloves
- **Skin protection:** Suits as needed by the circumstance of use.
- **Eye protection:** Safety glass, goggles, face shield

#### Other information

PNOC: Inhalable particulate 10 mg/m<sup>3</sup>, Respirable particulate 3 mg/m<sup>3</sup>

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

- **Appearance and Odor:** Opaque, white liquid. Slight odor.
- **pH value (25 deg.C):** 6-10
- **Boiling Point:** 100deg.C (212deg.F)
- **Melting Point:** none (as polymer OECDNo.102)
- **Flash Point (method):** Non-flammable
- **Auto Flammability:** N/D
- **Ignition Temperature:** N/D
- **Flammability:** none
- **Explosive Limits:** (lower) N/D, (upper) N/D
- **Oxidizing Properties:** N/D
- **Vapor Pressure (20deg.C):** N/D
- **Specific Gravity (25deg.C):** 1.10-1.16
- **Solubility (20deg.C) in water:** Dispersible
- **Viscosity (20deg.C):** N/D

---

## 10. STABILITY AND REACTIVITY

---

### Conditions to avoid:

Overheating and cooling

**Stability:** Stable under normal temperature and pressure.

**Materials to avoid (Incompatibilities):** Strong oxidants

### Hazardous decomposition products:

In a fire situation, hydrogen chloride, hydrogen fluoride, carbon monoxide and carbon dioxide may liberate.

---

## 11. TOXICOLOGICAL INFORMATION

---

**Acute toxicity:** N/D

**Sensitization:** N/D

**Mutagenicity:**

- Ames Assay: Negative

---

## 12. ECOLOGICAL INFORMATION

---

**Biodegradability:** N/D

**Bioaccumulation:** N/D

**Other information:** N/D

---

## 13. DISPOSAL CONSIDERATIONS

---

RCRA Waste Code: Not regulated under RCRA, 40 CFR261

Reuse when possible the residual product. Send waste product for thermal destruction, using high-temperature incinerators designed to burn fluorine compounds.

Reuse containers when possible, after thorough washing. Dispose of waste containers to authorized landfill, in accordance with local laws and regulations.

Comply with all federal, state and local regulations.

Do not dump this product into sewers, on the ground or into any body of water.

---

## 14. TRANSPORT INFORMATION

---

### US DEPARTMENT OF TRANSPORTATION (DOT)

**Hazardous Materials:** N/A

**Hazardous Materials Description and Proper Shipping Name:** N/A

**Hazardous Class or Division:** Not classified

**Identification Number:** Not regulated

**Packing Group:** Not classified

**Label(s) Required:** Not classified

**UN Number:** N/A

**IMDG Status:** Not restricted

**Marine Pollutant:** No

**ICAO/IATA Status:** Not restricted

---

## 15. REGULATORY INFORMATION

---

**OSHA STATUS:** Not applicable

**TSCA STATUS:** This substance is notified as LVE No.L00-0215 under the TSCA Inventory Regulation.

**CERCLA/SUPERFUND (40 CFR 117, 302)**

N/A

**SARA TITLE III**

**SECTION 302(40 CFR 355):** Not applicable

**SECTION 311/312(40 CFR 370):** Chronic Health Hazard

**SECTION 313(40 CFR 372):** Not applicable

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

---

**16. OTHER INFORMATION**

---

- **N/E:** Not Established
- **N/A:** Not Applicable
- **N/D:** No Data
- **ACGIH:** American Conference of Governmental Industrial Hygienists
- **T.C.C.:** Tag Closed Cup
- **C.O.C.:** Cleveland Open Cup

**NFPA CODES**

Flammability	Hazard	Instability
1	1	1

Revision Summary: Section 1-16(2004.6) Product name, Section2(2004.12) 1, 14(2006.9)7(2007.5) 1, 15(2009.4) 1(2009.9)

The product is not designed for special applications such as pharmaceutical, medical use.

The information given in this safety data sheet is for safety purposes only. It is given in good faith and based on the best knowledge and experience of the company at the date of issuing.

The company is not responsible for any loss or damage caused by the use of the product in applications for which it was not intended or for conditions of use contrary to the recommendations in this safety data sheet.

---